



CERTIFICATE OF ANALYSIS

PRODUCED: JAN 29, 2023

SAMPLE: NUVATA BLUE M/B 0.5G DISPOSABLE VAPE (DISTILLATE) // CLIENT: SE7ENLEAF, LLC // BATCH: PASS



**BATCH NO.:** NU221220B  
**SRC PKG:** 1A4060300001D4E000001543  
**MATRIX:** DISTILLATE  
**CATEGORY:** INHALABLE  
**SAMPLE ID:** VAL-230126-058  
**COLLECTED ON:** JAN 26, 2023  
**RECEIVED ON:** JAN 26, 2023  
**BATCH/SAMPLE SIZE:** 5960 UNITS / 24 UNITS  
**SAMPLED BY:** SAAM SHAHBAZI  
**RECEIVED BY:** GERARD YAMBAAO  
**PACKAGE SIZE:** .5 G

CANNABINOID OVERVIEW

<b>TOTAL THC:</b>	<b>80.8846 %</b>
<b>TOTAL CBD:</b>	<b>7.7869 %</b>
<b>TOTAL CANNABINOIDS:</b>	<b>88.6715 %</b>
<b>SUM OF CANNABINOIDS:</b>	<b>88.6715 %</b>

MANUFACTURER INFO

**MANUFACTURER**  
 SE7ENLEAF LLC  
 3505 CADILLAC AVE, SUITE M101  
 COSTA MESA, CA 92626  
  
**LICENSE**  
 CDPH-10002469  
 ADULT-USE AND MEDICINAL -  
 MANUFACTURING LICENSE

DISTRIBUTOR INFO

**DISTRIBUTOR**  
 SE7ENLEAF, LLC  
 3505 CADILLAC AVE, SUITE M101  
 COSTA MESA, CA 92626  
  
**LICENSE**  
 C11-0000123-LIC  
 ADULT-USE AND MEDICINAL -  
 DISTRIBUTOR LICENSE

BATCH RESULT: PASS

<b>POTENCY</b>	PASS	<b>MYCOTOXINS</b>	PASS
<b>FOREIGN</b>	PASS	<b>PESTICIDES</b>	PASS
<b>METALS</b>	PASS	<b>SOLVENTS</b>	PASS
<b>MICROBIAL</b>	PASS		

VA/SOP-500.01: POTENCY TESTING WITH HPLC-UV // JAN 27, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC		ND	ND	1.8696/6.2069	N/A
CBD		7.7869 %	77.869 mg/g	1.8231/6.2069	N/A
CBDA		ND	ND	1.4355/6.2069	N/A
CBDV		ND	ND	1.6003/6.2069	N/A
CBG		ND	ND	1.7395/6.2069	N/A
CBGA		ND	ND	1.9552/6.2069	N/A
CBN		ND	ND	1.6019/6.2069	N/A
Δ <sup>9</sup> -THC		ND	ND	1.8310/6.2069	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
Δ <sup>9</sup> -THC		80.8846 %	808.846 mg/g	1.8700/6.2069	N/A
THCA		ND	ND	1.6838/6.2069	N/A
<b>TOTAL THC**</b>		80.8846 %	808.846 mg/g		N/A
<b>TOTAL CBD**</b>		7.7869 %	77.869 mg/g		N/A
<b>CBD/PKG</b>		38.9345 mg			N/A
<b>Δ<sup>9</sup>-THC/PKG</b>		404.4230 mg			PASS
<b>TOTAL THC/PKG**</b>		404.4230 mg			N/A
<b>TOTAL CBD/PKG**</b>		38.9345 mg			N/A

\*\* TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)  
 \*\* TOTAL CBD = CBD + (CBDA X 0.877)



ALL LQC SAMPLES REQUIRED BY SECTION 15730 OF CALIFORNIA CODE OF REGULATIONS TITLE 4 DIVISION 19 DEPARTMENT OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA. THE RESULTS REPORTED ON THIS CERTIFICATE OF ANALYSIS RELATE ONLY TO THE SAMPLE ANALYZED.

**RESULTS CERTIFIED BY:** PAUL HAMRAH, MS,  
 PHARMD  
 LAB DIRECTOR, VERITY ANALYTICS  
 JAN 29, 2023

## VA/SOP-600.02: RESIDUAL PESTICIDES TESTING WITH LC-MS // JAN 28, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.0167/0.0507	PASS	IMAZALIL	Any amt	ND	0.0109/0.0329	PASS
ACEPHATE	0.1 µg/g	ND	0.0164/0.0496	PASS	IMIDACLOPRID	5 µg/g	ND	0.0148/0.0448	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.0238/0.0722	PASS	KRESOXIM-METHYL	0.1 µg/g	ND	0.0164/0.0496	PASS
ACETAMIPRID	0.1 µg/g	ND	0.0054/0.0163	PASS	MALATHION	0.5 µg/g	ND	0.0081/0.0247	PASS
ALDICARB	Any amt	ND	0.0231/0.0698	PASS	METALAXYL	2 µg/g	ND	0.0076/0.0229	PASS
α-CYFLUTHRIN		ND	0.0470/0.1424	N/A	METHIOCARB	Any amt	ND	0.0072/0.0219	PASS
α-CYPERMETHRIN		ND	0.0136/0.0413	N/A	METHOMYL	1 µg/g	ND	0.0058/0.0175	PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.0066/0.0200	PASS	METHYL PARATHION	Any amt	ND	0.0062/0.0187	PASS
β-CYFLUTHRIN		ND	0.0643/0.1948	N/A	MEVINPHOS	Any amt	ND	0.0067/0.0203	PASS
β-CYPERMETHRIN		ND	0.0284/0.0859	N/A	MYCLOBUTANIL	0.1 µg/g	ND	0.0097/0.0294	PASS
BIFENAZATE	0.1 µg/g	ND	0.0069/0.0209	PASS	NALED	0.1 µg/g	ND	0.0098/0.0298	PASS
BIFENTHRIN	3 µg/g	ND	0.0127/0.0385	PASS	OXAMYL	0.5 µg/g	ND	0.0101/0.0307	PASS
BOSCALID	0.1 µg/g	ND	0.0087/0.0263	PASS	PACLOBUTRAZOL	Any amt	ND	0.0086/0.0261	PASS
CAPTAN	0.7 µg/g	ND	0.0018/0.0053	PASS	PERMETHRIN	0.5 µg/g	ND	0.0127/0.0384	PASS
CARBARYL	0.5 µg/g	ND	0.0060/0.0183	PASS	PHOSMET	0.1 µg/g	ND	0.0084/0.0255	PASS
CARBOFURAN	Any amt	ND	0.0054/0.0164	PASS	PIPERONYLBUTOXIDE	3 µg/g	ND	0.0103/0.0312	PASS
CHLORANTRANILIPROLE	10 µg/g	ND	0.0093/0.0282	PASS	PRALLETHRIN	0.1 µg/g	ND	0.0212/0.0643	PASS
CHLORPYRIFOS	Any amt	ND	0.0135/0.0409	PASS	PROPICONAZOLE	0.1 µg/g	ND	0.0133/0.0402	PASS
CLOFENTEZINE	0.1 µg/g	ND	0.0126/0.0382	PASS	PROPOXUR	Any amt	ND	0.0054/0.0163	PASS
COUMAPHOS	Any amt	ND	0.0167/0.0505	PASS	PYRETHRINS	0.5 µg/g	ND		PASS
CYFLUTHRIN	2 µg/g	ND		PASS	PYRETHRINS PYRETHRIN I		ND	0.0298/0.0902	N/A
CYPERMETHRIN	1 µg/g	ND		PASS	PYRETHRINS PYRETHRIN II		ND	0.0407/0.1234	N/A
DAMINOZIDE	Any amt	ND	0.0191/0.0579	PASS	PYRIDABEN	0.1 µg/g	ND	0.0065/0.0197	PASS
DIAZINON	0.1 µg/g	ND	0.0088/0.0266	PASS	SPINETORAM	0.1 µg/g	ND		PASS
DICHLORVOS	Any amt	ND	0.0107/0.0325	PASS	SPINETORAM J		ND	0.0153/0.0463	N/A
DIMETHOATE	Any amt	ND	0.0078/0.0236	PASS	SPINETORAM L		ND	0.0169/0.0514	N/A
DIMETHOMORPH	2 µg/g	ND	0.0147/0.0444	PASS	SPINOSAD	0.1 µg/g	ND		PASS
ETHOPROPHOS	Any amt	ND	0.0089/0.0269	PASS	SPINOSAD A		ND	0.0102/0.0310	N/A
ETOFENPROX	Any amt	ND	0.0075/0.0227	PASS	SPINOSAD D		ND	0.0223/0.0675	N/A
ETOXAZOLE	0.1 µg/g	ND	0.0069/0.0209	PASS	SPIROMESIFEN	0.1 µg/g	ND	0.0117/0.0354	PASS
FENHEXAMID	0.1 µg/g	ND	0.0203/0.0614	PASS	SPIROTETRAMAT	0.1 µg/g	ND	0.0073/0.0221	PASS
FENOXYCARB	Any amt	ND	0.0093/0.0281	PASS	SPIROXAMINE	Any amt	ND	0.0060/0.0183	PASS
FENPYROXIMATE	0.1 µg/g	ND	0.0105/0.0317	PASS	TEBUCONAZOLE	0.1 µg/g	ND	0.0124/0.0376	PASS
FIPRONIL	Any amt	ND	0.0106/0.0322	PASS	THIACLOPRID	Any amt	ND	0.0082/0.0249	PASS
FLONICAMID	0.1 µg/g	ND	0.0086/0.0262	PASS	THIAMETHOXAM	5 µg/g	ND	0.0098/0.0297	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.0280/0.0848	PASS	TRIFLOXYSTROBIN	0.1 µg/g	ND	0.0193/0.0585	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.0071/0.0216	PASS					

## VA/SOP-610.01: RESIDUAL PESTICIDES TESTING WITH GC-MS // JAN 28, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CHLORDANE	Any amt	ND		PASS	CHLORFENAPYR	Any amt	ND	0.0023/0.0820	PASS
CHLORDANE CIS		ND	0.0010/0.0800	N/A	PENTACHLORONITROBENZENE	0.1 µg/g	ND	0.0017/0.0800	PASS
CHLORDANE TRANS		ND	0.0010/0.0800	N/A					



## VA/SOP-1000.01: MICROBIAL TESTING WITH PATHOGENDX // JAN 28, 2023

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL	ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS	ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS	SALMONELLA SPP.	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS	SHIGA TOXIN-PRODUCING E. COLI	Any amt in 1 gram	ND	PASS

## VA/SOP-600.02: MYCOTOXINS TESTING WITH LC-MS // JAN 28, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	1.4628/4.4415	N/A	AFLATOXIN G2		ND	1.8617/5.6117	N/A
AFLATOXIN B2		ND	1.8883/5.6915	N/A	AFLATOXINS	20 µg/kg	ND		PASS
AFLATOXIN G1		ND	2.5000/7.5798	N/A	OCHRATOXIN A	20 µg/kg	ND	5.3457/16.1968	PASS

## VA/SOP-700.01: HEAVY METALS TESTING WITH ICP-MS // JAN 28, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	ND	0.45091/1.37091	PASS	LEAD	0.5 µg/g	ND	0.28727/0.86545	PASS
CADMIUM	0.2 µg/g	ND	0.15636/0.47273	PASS	MERCURY	0.1 µg/g	ND	0.19636/0.58909	PASS

## VA/SOP-190.01: FOREIGN MATERIAL INSPECTION WITH MICROSCOPE // JAN 28, 2023

ANALYTE	LIMIT	AMT (%)	PASS/FAIL	ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS	MOLD	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS	SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

## VA/SOP-800.01: RESIDUAL SOLVENTS TESTING WITH GC-MS // JAN 29, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.0300/0.0860	PASS	HEXANE	290 µg/g	ND	1.8400/6.7110	PASS
ACETONE	5000 µg/g	ND	2.1400/6.7110	PASS	ISOPROPYL ALCOHOL	5000 µg/g	ND	1.9500/6.7110	PASS
ACETONITRILE	410 µg/g	ND	1.9000/6.7110	PASS	METHANOL	3000 µg/g	ND	1.4700/5.3687	PASS
BENZENE	1 µg/g	ND	0.0300/0.0860	PASS	METHYLENE CHLORIDE	1 µg/g	ND	0.0400/0.1342	PASS
BUTANE	5000 µg/g	ND	2.0500/6.7110	PASS	PENTANE	5000 µg/g	ND	2.5400/8.3886	PASS
CHLOROFORM	1 µg/g	ND	0.0300/0.1073	PASS	PROPANE	5000 µg/g	ND	2.5700/8.3886	PASS
ETHANOL	5000 µg/g	ND	1.9700/6.7110	PASS	TOLUENE	890 µg/g	ND	1.5300/5.3687	PASS
ETHYL ACETATE	5000 µg/g	ND	1.5000/5.3687	PASS	TRICHLOROETHYLENE	1 µg/g	ND	0.0300/0.0860	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.0400/0.1342	PASS	O-XYLENE		ND	0.7700/2.6800	N/A
ETHYL ETHER	5000 µg/g	ND	2.1100/6.7110	PASS	P- AND M-XYLENE		ND	0.8000/2.6800	N/A
HEPTANE	5000 µg/g	ND	1.7700/5.3687	PASS	TOTAL XYLENES	2170 µg/g	ND		PASS

