



## CERTIFICATE OF ANALYSIS

PRODUCED: JAN 27, 2023

SAMPLE: NUVATA GREEN M/B 0.5G DISPOSABLE VAPE (DISTILLATE) // CLIENT: SE7ENLEAF, LLC // BATCH: PASS



**BATCH NO.:** NU221220G  
**SRC PKG:** 1A4060300001D4E000001542  
**MATRIX:** DISTILLATE  
**CATEGORY:** INHALABLE  
**SAMPLE ID:** VAL-230124-020  
**COLLECTED ON:** JAN 25, 2023  
**RECEIVED ON:** JAN 25, 2023  
**BATCH/SAMPLE SIZE:** 5946 UNITS / 24 UNITS  
**SAMPLED BY:** SHANE NYSTROM  
**RECEIVED BY:** KYLE SMITH  
**PACKAGE SIZE:** 0.5 G

### CANNABINOID OVERVIEW

<b>TOTAL THC:</b>	<b>80.0836 %</b>
<b>TOTAL CBD:</b>	<b>7.793 %</b>
<b>TOTAL CANNABINOIDS:</b>	<b>87.8766 %</b>
<b>SUM OF CANNABINOIDS:</b>	<b>87.8766 %</b>

### MANUFACTURER INFO

**MANUFACTURER**  
 SE7ENLEAF LLC  
 3505 CADILLAC AVE, SUITE M101  
 COSTA MESA, CA 92626

**LICENSE**  
 CDPH-10002469  
 ADULT-USE AND MEDICINAL -  
 MANUFACTURING LICENSE

### DISTRIBUTOR INFO

**DISTRIBUTOR**  
 SE7ENLEAF, LLC  
 3505 CADILLAC AVE, SUITE M101  
 COSTA MESA, CA 92626

**LICENSE**  
 C11-0000123-LIC  
 ADULT-USE AND MEDICINAL -  
 DISTRIBUTOR LICENSE

### BATCH RESULT: PASS

<b>POTENCY</b>	PASS	<b>MYCOTOXINS</b>	PASS
<b>FOREIGN</b>	PASS	<b>PESTICIDES</b>	PASS
<b>METALS</b>	PASS	<b>SOLVENTS</b>	PASS
<b>MICROBIAL</b>	PASS		

### VA/SOP-500.01: POTENCY TESTING WITH HPLC-UV // JAN 25, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC		ND	ND	2.3417/7.7741	N/A
CBD	7.7930 %	77.930	mg/g	2.2834/7.7741	N/A
CBDA		ND	ND	1.7980/7.7741	N/A
CBDV		ND	ND	2.0043/7.7741	N/A
CBG		ND	ND	2.1787/7.7741	N/A
CBGA		ND	ND	2.4488/7.7741	N/A
CBN		ND	ND	2.0063/7.7741	N/A
Δ <sup>9</sup> -THC		ND	ND	2.2934/7.7741	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL	
Δ <sup>9</sup> -THC		80.0836 %	800.836	mg/g	2.3422/7.7741	N/A
THCA		ND	ND	2.1090/7.7741	N/A	
<b>TOTAL THC**</b>		80.0836 %	800.836	mg/g	N/A	
<b>TOTAL CBD**</b>		7.7930 %	77.930	mg/g	N/A	
<b>CBD/PKG</b>		38.9650	mg		N/A	
<b>Δ<sup>9</sup>-THC/PKG</b>		400.4180	mg		PASS	
<b>TOTAL</b>		400.4180	mg		N/A	
<b>THC/PKG**</b>		400.4180	mg		N/A	
<b>TOTAL</b>		38.9650	mg		N/A	
<b>CBD/PKG**</b>		38.9650	mg		N/A	

\*\* TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)

\*\* TOTAL CBD = CBD + (CBDA X 0.877)



ALL LQC SAMPLES REQUIRED BY SECTION 15730 OF CALIFORNIA CODE OF REGULATIONS TITLE 4 DIVISION 19 DEPARTMENT OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA. THE RESULTS REPORTED ON THIS CERTIFICATE OF ANALYSIS RELATE ONLY TO THE SAMPLE ANALYZED.

**RESULTS CERTIFIED BY:** PAUL HAMRAH, MS,  
 PHARM D  
 LAB DIRECTOR, VERITY ANALYTICS  
 JAN 27, 2023

## VA/SOP-600.02: RESIDUAL PESTICIDES TESTING WITH LC-MS // JAN 26, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.0181/0.0550	PASS	IMAZALIL	Any amt	ND	0.0118/0.0357	PASS
ACEPHATE	0.1 µg/g	ND	0.0178/0.0538	PASS	IMIDACLOPRID	5 µg/g	ND	0.0161/0.0486	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.0259/0.0783	PASS	KRESOXIM-METHYL	0.1 µg/g	ND	0.0177/0.0538	PASS
ACETAMIPRID	0.1 µg/g	ND	0.0059/0.0177	PASS	MALATHION	0.5 µg/g	ND	0.0088/0.0268	PASS
ALDICARB	Any amt	ND	0.0250/0.0758	PASS	METALAXYL	2 µg/g	ND	0.0082/0.0249	PASS
α-CYFLUTHRIN		ND	0.0509/0.1544	N/A	METHIOCARB	Any amt	ND	0.0079/0.0238	PASS
α-CYPERMETHRIN		ND	0.0148/0.0448	N/A	METHOMYL	1 µg/g	ND	0.0063/0.0190	PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.0072/0.0217	PASS	METHYL PARATHION	Any amt	ND	0.0067/0.0203	PASS
β-CYFLUTHRIN		ND	0.0697/0.2112	N/A	MEVINPHOS	Any amt	ND	0.0073/0.0220	PASS
β-CYPERMETHRIN		ND	0.0308/0.0932	N/A	MYCLOBUTANIL	0.1 µg/g	ND	0.0105/0.0319	PASS
BIFENAZATE	0.1 µg/g	ND	0.0075/0.0226	PASS	NALED	0.1 µg/g	ND	0.0106/0.0323	PASS
BIFENTHRIN	3 µg/g	ND	0.0138/0.0417	PASS	OXAMYL	0.5 µg/g	ND	0.0110/0.0333	PASS
BOSCALID	0.1 µg/g	ND	0.0094/0.0285	PASS	PACLOBUTRAZOL	Any amt	ND	0.0094/0.0283	PASS
CAPTAN	0.7 µg/g	ND	0.0019/0.0058	PASS	PERMETHRIN	0.5 µg/g	ND	0.0137/0.0416	PASS
CARBARYL	0.5 µg/g	ND	0.0066/0.0199	PASS	PHOSMET	0.1 µg/g	ND	0.0091/0.0276	PASS
CARBOFURAN	Any amt	ND	0.0059/0.0178	PASS	PIPERONYLBUTOXIDE	3 µg/g	ND	0.0112/0.0338	PASS
CHLORANTRANILIPROLE	10 µg/g	ND	0.0101/0.0306	PASS	PRALLETHRIN	0.1 µg/g	ND	0.0230/0.0697	PASS
CHLORPYRIFOS	Any amt	ND	0.0146/0.0443	PASS	PROPICONAZOLE	0.1 µg/g	ND	0.0144/0.0436	PASS
CLOFENTEZINE	0.1 µg/g	ND	0.0137/0.0414	PASS	PROPOXUR	Any amt	ND	0.0058/0.0177	PASS
COUMAPHOS	Any amt	ND	0.0181/0.0548	PASS	PYRETHRINS	0.5 µg/g	ND		PASS
CYFLUTHRIN	2 µg/g	ND		PASS	PYRETHRINS PYRETHRIN I		ND	0.0323/0.0978	N/A
CYPERMETHRIN	1 µg/g	ND		PASS	PYRETHRINS PYRETHRIN II		ND	0.0442/0.1338	N/A
DAMINOZIDE	Any amt	ND	0.0207/0.0628	PASS	PYRIDABEN	0.1 µg/g	ND	0.0071/0.0214	PASS
DIAZINON	0.1 µg/g	ND	0.0095/0.0289	PASS	SPINETORAM	0.1 µg/g	ND		PASS
DICHLORVOS	Any amt	ND	0.0116/0.0353	PASS	SPINETORAM J		ND	0.0166/0.0502	N/A
DIMETHOATE	Any amt	ND	0.0085/0.0256	PASS	SPINETORAM L		ND	0.0184/0.0557	N/A
DIMETHOMORPH	2 µg/g	ND	0.0159/0.0482	PASS	SPINOSAD	0.1 µg/g	ND		PASS
ETHOPROPHOS	Any amt	ND	0.0096/0.0291	PASS	SPINOSAD A		ND	0.0111/0.0337	N/A
ETOFENPROX	Any amt	ND	0.0081/0.0247	PASS	SPINOSAD D		ND	0.0242/0.0732	N/A
ETOXAZOLE	0.1 µg/g	ND	0.0075/0.0226	PASS	SPIROMESIFEN	0.1 µg/g	ND	0.0127/0.0384	PASS
FENHEXAMID	0.1 µg/g	ND	0.0220/0.0666	PASS	SPIROTETRAMAT	0.1 µg/g	ND	0.0079/0.0239	PASS
FENOXYCARB	Any amt	ND	0.0100/0.0304	PASS	SPIROXAMINE	Any amt	ND	0.0066/0.0199	PASS
FENPYROXIMATE	0.1 µg/g	ND	0.0113/0.0344	PASS	TEBUCONAZOLE	0.1 µg/g	ND	0.0134/0.0408	PASS
FIPRONIL	Any amt	ND	0.0115/0.0349	PASS	THIACLOPRID	Any amt	ND	0.0089/0.0270	PASS
FLONICAMID	0.1 µg/g	ND	0.0094/0.0284	PASS	THIAMETHOXAM	5 µg/g	ND	0.0106/0.0323	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.0304/0.0919	PASS	TRIFLOXYSTROBIN	0.1 µg/g	ND	0.0209/0.0635	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.0077/0.0235	PASS					

## VA/SOP-610.01: RESIDUAL PESTICIDES TESTING WITH GC-MS // JAN 27, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CHLORDANE	Any amt	ND		PASS	CHLORFENAPYR	Any amt	ND	0.0023/0.0820	PASS
CHLORDANE CIS		ND	0.0010/0.0800	N/A	PENTACHLORONITROBENZENE	0.1 µg/g	ND	0.0017/0.0800	PASS
CHLORDANE TRANS		ND	0.0010/0.0800	N/A					



## VA/SOP-1000.01: MICROBIAL TESTING WITH PATHOGENDX // JAN 26, 2023

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL	ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS	ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS	SALMONELLA SPP.	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS	SHIGA TOXIN-PRODUCING E. COLI	Any amt in 1 gram	ND	PASS

## VA/SOP-600.02: MYCOTOXINS TESTING WITH LC-MS // JAN 26, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	1.5865/4.8173	N/A	AFLATOXIN G2		ND	2.0192/6.0865	N/A
AFLATOXIN B2		ND	2.0481/6.1731	N/A	AFLATOXINS	20 µg/kg	ND		PASS
AFLATOXIN G1		ND	2.7115/8.2212	N/A	OCHRATOXIN A	20 µg/kg	ND	5.7981/17.5673	PASS

## VA/SOP-700.01: HEAVY METALS TESTING WITH ICP-MS // JAN 26, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	ND	0.49206/1.49603	PASS	LEAD	0.5 µg/g	ND	0.31349/0.94444	PASS
CADMIUM	0.2 µg/g	ND	0.17063/0.51587	PASS	MERCURY	0.1 µg/g	ND	0.21429/0.64286	PASS

## VA/SOP-190.01: FOREIGN MATERIAL INSPECTION WITH MICROSCOPE // JAN 26, 2023

ANALYTE	LIMIT	AMT (%)	PASS/FAIL	ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS	MOLD	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS	SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

## VA/SOP-800.01: RESIDUAL SOLVENTS TESTING WITH GC-MS // JAN 26, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.1111/0.3185	PASS	HEXANE	290 µg/g	ND	6.8148/24.8556	PASS
ACETONE	5000 µg/g	ND	7.9259/24.8556	PASS	ISOPROPYL ALCOHOL	5000 µg/g	ND	7.2222/24.8556	PASS
ACETONITRILE	410 µg/g	ND	7.0370/24.8556	PASS	METHANOL	3000 µg/g	ND	5.4444/19.8841	PASS
BENZENE	1 µg/g	ND	0.1111/0.3185	PASS	METHYLENE CHLORIDE	1 µg/g	ND	0.1482/0.4970	PASS
BUTANE	5000 µg/g	ND	7.5926/24.8556	PASS	PENTANE	5000 µg/g	ND	9.4074/31.0689	PASS
CHLOROFORM	1 µg/g	ND	0.1111/0.3974	PASS	PROPANE	5000 µg/g	ND	9.5185/31.0689	PASS
ETHANOL	5000 µg/g	ND	7.2963/24.8556	PASS	TOLUENE	890 µg/g	ND	5.6667/19.8841	PASS
ETHYL ACETATE	5000 µg/g	ND	5.5556/19.8841	PASS	TRICHLOROETHYLENE	1 µg/g	ND	0.1111/0.3185	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.1482/0.4970	PASS	O-XYLENE		ND	2.8519/9.9259	N/A
ETHYL ETHER	5000 µg/g	ND	7.8148/24.8556	PASS	P- AND M-XYLENE		ND	2.9630/9.9259	N/A
HEPTANE	5000 µg/g	ND	6.5556/19.8841	PASS	TOTAL XYLENES	2170 µg/g	ND		PASS

