



CERTIFICATE OF ANALYSIS

PRODUCED: JAN 25, 2023

SAMPLE: (NUVATA) RED STRAWBERRY 9:1 0.5G DISPOSABLE VAPE (DISTILLATE) // CLIENT: SE7ENLEAF, LLC // BATCH: PASS



**BATCH NO.:** NU221220R  
**SRC PKG:** 1A4060300001D4E000001550  
**MATRIX:** DISTILLATE  
**CATEGORY:** INHALABLE  
**SAMPLE ID:** VAL-230123-034  
**COLLECTED ON:** JAN 23, 2023  
**RECEIVED ON:** JAN 23, 2023  
**BATCH/SAMPLE SIZE:** 7962 UNITS / 24 UNITS  
**SAMPLED BY:** RYAN MCGEE  
**RECEIVED BY:** PARI ROSTAMZADEH  
**PACKAGE SIZE:** 0.5 G

CANNABINOID OVERVIEW

<b>TOTAL THC:</b>	<b>80.5478 %</b>
<b>TOTAL CBD:</b>	<b>7.4418 %</b>
<b>TOTAL CANNABINOIDS:</b>	<b>87.9896 %</b>
<b>SUM OF CANNABINOIDS:</b>	<b>87.9896 %</b>

MANUFACTURER INFO

**MANUFACTURER**  
 SE7ENLEAF LLC  
 3505 CADILLAC AVE, SUITE M101  
 COSTA MESA, CA 92626

**LICENSE**  
 CDPH-10002469  
 ADULT-USE AND MEDICINAL -  
 MANUFACTURING LICENSE

DISTRIBUTOR INFO

**DISTRIBUTOR**  
 SE7ENLEAF, LLC  
 3505 CADILLAC AVE, SUITE M101  
 COSTA MESA, CA 92626

**LICENSE**  
 C11-0000123-LIC  
 ADULT-USE AND MEDICINAL -  
 DISTRIBUTOR LICENSE

BATCH RESULT: PASS

<b>POTENCY</b>	PASS	<b>MYCOTOXINS</b>	PASS
<b>FOREIGN</b>	PASS	<b>PESTICIDES</b>	PASS
<b>METALS</b>	PASS	<b>SOLVENTS</b>	PASS
<b>MICROBIAL</b>	PASS		

VA/SOP-500.01: POTENCY TESTING WITH HPLC-UV // JAN 25, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC		ND	ND	1.7192/5.7073	N/A
CBD	7.4418 %	74.418 mg/g	74.418 mg/g	1.6763/5.7073	N/A
CBDA		ND	ND	1.3200/5.7073	N/A
CBDV		ND	ND	1.4715/5.7073	N/A
CBG		ND	ND	1.5995/5.7073	N/A
CBGA		ND	ND	1.7978/5.7073	N/A
CBN		ND	ND	1.4729/5.7073	N/A
Δ <sup>9</sup> -THC		ND	ND	1.6837/5.7073	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
Δ <sup>9</sup> -THC		80.5478 %	805.478 mg/g	1.7195/5.7073	N/A
THCA		ND	ND	1.5483/5.7073	N/A
TOTAL THC**		80.5478 %	805.478 mg/g		N/A
TOTAL CBD**		7.4418 %	74.418 mg/g		N/A
CBD/PKG		37.2090 mg			N/A
Δ <sup>9</sup> -THC/PKG		402.7390 mg			PASS
TOTAL THC/PKG**		402.7390 mg			N/A
TOTAL CBD/PKG**		37.2090 mg			N/A

\*\* TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)  
 \*\* TOTAL CBD = CBD + (CBDA X 0.877)



ALL LQC SAMPLES REQUIRED BY SECTION 15730 OF CALIFORNIA CODE OF REGULATIONS TITLE 4 DIVISION 19 DEPARTMENT OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA. THE RESULTS REPORTED ON THIS CERTIFICATE OF ANALYSIS RELATE ONLY TO THE SAMPLE ANALYZED.

RESULTS CERTIFIED BY: PAUL HAMRAH, MS,  
 PHARMD  
 LAB DIRECTOR, VERITY ANALYTICS  
 JAN 25, 2023

## VA/SOP-610.01: RESIDUAL PESTICIDES TESTING WITH GC-MS // JAN 26, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND		PASS	CHLORDANE CIS		ND	0.0010/0.0800	N/A
ABAMECTIN BA		ND		N/A	CHLORDANE TRANS		ND	0.0010/0.0800	N/A
ABAMECTIN BB		ND		N/A	CHLORFENAPYR	Any amt	ND	0.0023/0.0820	PASS
CHLORDANE	Any amt	ND		PASS	PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.0016/0.0800	PASS

## VA/SOP-600.02: RESIDUAL PESTICIDES TESTING WITH LC-MS // JAN 26, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.0189/0.0572	PASS	IMAZALIL	Any amt	ND	0.0122/0.0371	PASS
ACEPHATE	0.1 µg/g	ND	0.0185/0.0560	PASS	IMIDACLOPRID	5 µg/g	ND	0.0167/0.0506	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.0269/0.0815	PASS	KRESOXIM-METHYL	0.1 µg/g	ND	0.0185/0.0559	PASS
ACETAMIPRID	0.1 µg/g	ND	0.0061/0.0184	PASS	MALATHION	0.5 µg/g	ND	0.0092/0.0279	PASS
ALDICARB	Any amt	ND	0.0260/0.0788	PASS	METALAXYL	2 µg/g	ND	0.0086/0.0259	PASS
α-CYFLUTHRIN		ND	0.0530/0.1606	N/A	METHIOCARB	Any amt	ND	0.0082/0.0248	PASS
α-CYPERMETHRIN		ND	0.0154/0.0466	N/A	METHOMYL	1 µg/g	ND	0.0065/0.0198	PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.0074/0.0225	PASS	METHYL PARATHION	Any amt	ND	0.0070/0.0211	PASS
β-CYFLUTHRIN		ND	0.0725/0.2197	N/A	MEVINPHOS	Any amt	ND	0.0076/0.0229	PASS
β-CYPERMETHRIN		ND	0.0320/0.0969	N/A	MYCLOBUTANIL	0.1 µg/g	ND	0.0109/0.0331	PASS
BIFENAZATE	0.1 µg/g	ND	0.0078/0.0235	PASS	NALED	0.1 µg/g	ND	0.0111/0.0336	PASS
BIFENTHRIN	3 µg/g	ND	0.0143/0.0434	PASS	OXAMYL	0.5 µg/g	ND	0.0114/0.0347	PASS
BOSCALID	0.1 µg/g	ND	0.0098/0.0296	PASS	PACLOBUTRAZOL	Any amt	ND	0.0097/0.0295	PASS
CAPTAN	0.7 µg/g	ND	0.0020/0.0060	PASS	PERMETHRIN	0.5 µg/g	ND	0.0143/0.0433	PASS
CARBARYL	0.5 µg/g	ND	0.0068/0.0206	PASS	PHOSMET	0.1 µg/g	ND	0.0095/0.0287	PASS
CARBOFURAN	Any amt	ND	0.0061/0.0185	PASS	PIPERONYLBUTO-XIDE	3 µg/g	ND	0.0116/0.0352	PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.0105/0.0318	PASS	PRALLETHRIN	0.1 µg/g	ND	0.0239/0.0725	PASS
CHLORPYRIFOS	Any amt	ND	0.0152/0.0461	PASS	PROPICONAZOLE	0.1 µg/g	ND	0.0150/0.0454	PASS
CLOFENTEZINE	0.1 µg/g	ND	0.0142/0.0431	PASS	PROPOXUR	Any amt	ND	0.0061/0.0184	PASS
COUMAPHOS	Any amt	ND	0.0188/0.0569	PASS	PYRETHRINS	0.5 µg/g	ND		PASS
CYFLUTHRIN	2 µg/g	ND		PASS	PYRETHRINS PYRETHRIN I		ND	0.0336/0.1017	N/A
CYPERMETHRIN	1 µg/g	ND		PASS	PYRETHRINS PYRETHRIN II		ND	0.0459/0.1391	N/A
DAMINOZIDE	Any amt	ND	0.0216/0.0653	PASS	PYRIDABEN	0.1 µg/g	ND	0.0074/0.0223	PASS
DIAZINON	0.1 µg/g	ND	0.0099/0.0300	PASS	SPINETORAM	0.1 µg/g	ND		PASS
DICHLORVOS	Any amt	ND	0.0121/0.0367	PASS	SPINETORAM J		ND	0.0172/0.0522	N/A
DIMETHOATE	Any amt	ND	0.0088/0.0266	PASS	SPINETORAM L		ND	0.0191/0.0579	N/A
DIMETHOMORPH	2 µg/g	ND	0.0165/0.0501	PASS	SPINOSAD	0.1 µg/g	ND		PASS
ETHOPROPHOS	Any amt	ND	0.0100/0.0303	PASS	SPINOSAD A		ND	0.0116/0.0350	N/A
ETOFENPROX	Any amt	ND	0.0085/0.0257	PASS	SPINOSAD D		ND	0.0251/0.0761	N/A
ETOXAZOLE	0.1 µg/g	ND	0.0078/0.0235	PASS	SPIROMESIFEN	0.1 µg/g	ND	0.0132/0.0399	PASS
FENHEXAMID	0.1 µg/g	ND	0.0229/0.0693	PASS	SPIROTETRAMAT	0.1 µg/g	ND	0.0082/0.0249	PASS
FENOXYCARB	Any amt	ND	0.0104/0.0317	PASS	SPIROXAMINE	Any amt	ND	0.0068/0.0206	PASS
FENPYROXIMATE	0.1 µg/g	ND	0.0118/0.0358	PASS	TEBUCONAZOLE	0.1 µg/g	ND	0.0140/0.0424	PASS
FIPRONIL	Any amt	ND	0.0120/0.0363	PASS	THIACLOPRID	Any amt	ND	0.0093/0.0281	PASS
FLONICAMID	0.1 µg/g	ND	0.0098/0.0296	PASS	THIAMETHOXAM	5 µg/g	ND	0.0111/0.0335	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.0316/0.0956	PASS	TRIFLOXYSTROB-IN	0.1 µg/g	ND	0.0218/0.0660	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.0080/0.0244	PASS					



## VA/SOP-1000.01: MICROBIAL TESTING WITH PATHOGENDX // JAN 24, 2023

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL	ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS	ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS	SALMONELLA SPP.	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS	SHIGA TOXIN-PRODUCING E. COLI	Any amt in 1 gram	ND	PASS

## VA/SOP-600.02: MYCOTOXINS TESTING WITH LC-MS // JAN 26, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	1.6500/5.0100	N/A	AFLATOXIN G2		ND	2.1000/6.3300	N/A
AFLATOXIN B2		ND	2.1300/6.4200	N/A	AFLATOXINS	20 µg/kg	ND		PASS
AFLATOXIN G1		ND	2.8200/8.5500	N/A	OCHRATOXIN A	20 µg/kg	ND	6.0300/18.2700	PASS

## VA/SOP-700.01: HEAVY METALS TESTING WITH ICP-MS // JAN 25, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	ND	0.00010/0.00032	PASS	LEAD	0.5 µg/g	ND	0.00026/0.00078	PASS
CADMIUM	0.2 µg/g	ND	0.00008/0.00023	PASS	MERCURY	0.1 µg/g	ND	0.00004/0.00012	PASS

## VA/SOP-190.01: FOREIGN MATERIAL INSPECTION WITH MICROSCOPE // JAN 24, 2023

ANALYTE	LIMIT	AMT (%)	PASS/FAIL	ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS	MOLD	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS	SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

## VA/SOP-800.01: RESIDUAL SOLVENTS TESTING WITH GC-MS // JAN 25, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.1172/0.3359	PASS	HEXANE	290 µg/g	ND	7.1875/26.2148	PASS
ACETONE	5000 µg/g	ND	8.3594/26.2148	PASS	ISOPROPYL ALCOHOL	5000 µg/g	ND	7.6172/26.2148	PASS
ACETONITRILE	410 µg/g	ND	7.4219/26.2148	PASS	METHANOL	3000 µg/g	ND	5.7422/20.9715	PASS
BENZENE	1 µg/g	ND	0.1172/0.3359	PASS	METHYLENE CHLORIDE	1 µg/g	ND	0.1563/0.5242	PASS
BUTANE	5000 µg/g	ND	8.0078/26.2148	PASS	PENTANE	5000 µg/g	ND	9.9219/32.7680	PASS
CHLOROFORM	1 µg/g	ND	0.1172/0.4191	PASS	PROPANE	5000 µg/g	48.5066	10.0391/32.7680	PASS
ETHANOL	5000 µg/g	ND	7.6953/26.2148	PASS	TOLUENE	890 µg/g	ND	5.9766/20.9715	PASS
ETHYL ACETATE	5000 µg/g	ND	5.8594/20.9715	PASS	TRICHLOROETHYLENE	1 µg/g	ND	0.1172/0.3359	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.1563/0.5242	PASS	O-XYLENE		ND	3.0078/10.4688	N/A
ETHYL ETHER	5000 µg/g	ND	8.2422/26.2148	PASS	P- AND M-XYLENE		ND	3.1250/10.4688	N/A
HEPTANE	5000 µg/g	ND	6.9141/20.9715	PASS	TOTAL XYLENES	2170 µg/g	ND		PASS

