



CERTIFICATE OF ANALYSIS

PRODUCED: JAN 31, 2023

SAMPLE: NUVATA PURPLE M/B 0.5G DISPOSABLE VAPE (DISTILLATE) // CLIENT: SE7ENLEAF, LLC // BATCH: PASS



BATCH NO.: NU221220V
SRC PKG: 1A4060300001D4E000001544
MATRIX: DISTILLATE
CATEGORY: INHALABLE
SAMPLE ID: VAL-230127-040
COLLECTED ON: JAN 27, 2023
RECEIVED ON: JAN 27, 2023
BATCH/SAMPLE SIZE: 7472 UNITS / 24 UNITS
SAMPLED BY: SHANE NYSTROM
RECEIVED BY: GERARD YAMBABO
PACKAGE SIZE: 0.5 G

CANNABINOID OVERVIEW

TOTAL THC:	80.274 %
TOTAL CBD:	6.7331 %
TOTAL CANNABINOIDS:	87.0071 %
SUM OF CANNABINOIDS:	87.0071 %

MANUFACTURER INFO

MANUFACTURER
 SE7ENLEAF LLC
 3505 CADILLAC AVE, SUITE M101
 COSTA MESA, CA 92626

LICENSE
 CDPH-10002469
 ADULT-USE AND MEDICINAL -
 MANUFACTURING LICENSE

DISTRIBUTOR INFO

DISTRIBUTOR
 SE7ENLEAF, LLC
 3505 CADILLAC AVE, SUITE M101
 COSTA MESA, CA 92626

LICENSE
 C11-0000123-LIC
 ADULT-USE AND MEDICINAL -
 DISTRIBUTOR LICENSE

BATCH RESULT: PASS

POTENCY	PASS	MYCOTOXINS	PASS
FOREIGN	PASS	PESTICIDES	PASS
METALS	PASS	SOLVENTS	PASS
MICROBIAL	PASS		

VA/SOP-500.01: POTENCY TESTING WITH HPLC-UV // JAN 30, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC		ND	ND	1.7621/5.8500	N/A
CBD	6.7331 %	67.331 mg/g	67.331 mg/g	1.7183/5.8500	N/A
CBDA	ND	ND	ND	1.3530/5.8500	N/A
CBDV	ND	ND	ND	1.5083/5.8500	N/A
CBG	ND	ND	ND	1.6395/5.8500	N/A
CBGA	ND	ND	ND	1.8428/5.8500	N/A
CBN	ND	ND	ND	1.5098/5.8500	N/A
Δ ⁹ -THC	ND	ND	ND	1.7258/5.8500	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
Δ ⁹ -THC	80.2740 %	802.740 mg/g	802.740 mg/g	1.7625/5.8500	N/A
THCA	ND	ND	ND	1.5870/5.8500	N/A
TOTAL THC**	80.2740 %	802.740 mg/g	802.740 mg/g		N/A
TOTAL CBD**	6.7331 %	67.331 mg/g	67.331 mg/g		N/A
CBD/PKG	33.6655 mg	33.6655 mg	33.6655 mg		N/A
Δ ⁹ -THC/PKG	401.3700 mg	401.3700 mg	401.3700 mg		PASS
TOTAL THC/PKG**	401.3700 mg	401.3700 mg	401.3700 mg		N/A
TOTAL CBD/PKG**	33.6655 mg	33.6655 mg	33.6655 mg		N/A

** TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)

** TOTAL CBD = CBD + (CBDA X 0.877)



ALL LQC SAMPLES REQUIRED BY SECTION 15730 OF CALIFORNIA CODE OF REGULATIONS TITLE 4 DIVISION 19 DEPARTMENT OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA. THE RESULTS REPORTED ON THIS CERTIFICATE OF ANALYSIS RELATE ONLY TO THE SAMPLE ANALYZED.

RESULTS CERTIFIED BY: PAUL HAMRAH, MS,
 PHARM D
 LAB DIRECTOR, VERITY ANALYTICS
 JAN 31, 2023

VA/SOP-610.01: RESIDUAL PESTICIDES TESTING WITH GC-MS // JAN 29, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CHLORDANE	Any amt	ND		PASS	CHLORFENAPYR	Any amt	ND	0.0023/0.0820	PASS
CHLORDANE CIS		ND	0.0010/0.0800	N/A	PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.0017/0.0800	PASS
CHLORDANE TRANS		ND	0.0010/0.0800	N/A					

VA/SOP-600.02: RESIDUAL PESTICIDES TESTING WITH LC-MS // JAN 29, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.0172/0.0520	PASS	IMAZALIL	Any amt	ND	0.0111/0.0337	PASS
ACEPHATE	0.1 µg/g	ND	0.0168/0.0509	PASS	IMIDACLOPRID	5 µg/g	ND	0.0152/0.0460	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.0244/0.0741	PASS	KRESOXIM-METHYL	0.1 µg/g	ND	0.0168/0.0508	PASS
ACETAMIPRID	0.1 µg/g	ND	0.0055/0.0168	PASS	MALATHION	0.5 µg/g	ND	0.0084/0.0253	PASS
ALDICARB	Any amt	ND	0.0237/0.0716	PASS	METALAXYL	2 µg/g	ND	0.0078/0.0235	PASS
α-CYFLUTHRIN		ND	0.0482/0.1460	N/A	METHIOCARB	Any amt	ND	0.0074/0.0225	PASS
α-CYPERMETHRIN		ND	0.0140/0.0424	N/A	METHOMYL	1 µg/g	ND	0.0060/0.0180	PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.0068/0.0205	PASS	METHYL PARATHION	Any amt	ND	0.0063/0.0192	PASS
β-CYFLUTHRIN		ND	0.0659/0.1997	N/A	MEVINPHOS	Any amt	ND	0.0069/0.0208	PASS
β-CYPERMETHRIN		ND	0.0291/0.0881	N/A	MYCLOBUTANIL	0.1 µg/g	ND	0.0099/0.0301	PASS
BIFENAZATE	0.1 µg/g	ND	0.0071/0.0214	PASS	NALED	0.1 µg/g	ND	0.0101/0.0305	PASS
BIFENTHRIN	3 µg/g	ND	0.0130/0.0395	PASS	OXAMYL	0.5 µg/g	ND	0.0104/0.0315	PASS
BOSCALID	0.1 µg/g	ND	0.0089/0.0269	PASS	PACLOBUTRAZOL	Any amt	ND	0.0088/0.0268	PASS
CAPTAN	0.7 µg/g	ND	0.0018/0.0055	PASS	PERMETHRIN	0.5 µg/g	ND	0.0130/0.0393	PASS
CARBARYL	0.5 µg/g	ND	0.0062/0.0188	PASS	PHOSMET	0.1 µg/g	ND	0.0086/0.0261	PASS
CARBOFURAN	Any amt	ND	0.0056/0.0169	PASS	PIPERONYLBUTOXIDE	3 µg/g	ND	0.0106/0.0320	PASS
CHLORANTRANILIPROLE	10 µg/g	ND	0.0096/0.0289	PASS	PRALLETHRIN	0.1 µg/g	ND	0.0217/0.0659	PASS
CHLORPYRIFOS	Any amt	ND	0.0138/0.0419	PASS	PROPICONAZOLE	0.1 µg/g	ND	0.0136/0.0413	PASS
CLOFENTEZINE	0.1 µg/g	ND	0.0129/0.0391	PASS	PROPOXUR	Any amt	ND	0.0055/0.0167	PASS
COUMAPHOS	Any amt	ND	0.0171/0.0518	PASS	PYRETHRINS	0.5 µg/g	ND		PASS
CYFLUTHRIN	2 µg/g	ND		PASS	PYRETHRINS PYRETHRIN I		ND	0.0305/0.0925	N/A
CYPERMETHRIN	1 µg/g	ND		PASS	PYRETHRINS PYRETHRIN II		ND	0.0418/0.1265	N/A
DAMINOZIDE	Any amt	ND	0.0196/0.0594	PASS	PYRIDABEN	0.1 µg/g	ND	0.0067/0.0202	PASS
DIAZINON	0.1 µg/g	ND	0.0090/0.0273	PASS	SPINETORAM	0.1 µg/g	ND		PASS
DICHLORVOS	Any amt	ND	0.0110/0.0333	PASS	SPINETORAM J		ND	0.0157/0.0474	N/A
DIMETHOATE	Any amt	ND	0.0080/0.0242	PASS	SPINETORAM L		ND	0.0174/0.0527	N/A
DIMETHOMORPH	2 µg/g	ND	0.0150/0.0456	PASS	SPINOSAD	0.1 µg/g	ND		PASS
ETHOPROPHOS	Any amt	ND	0.0091/0.0276	PASS	SPINOSAD A		ND	0.0105/0.0318	N/A
ETOFENPROX	Any amt	ND	0.0077/0.0233	PASS	SPINOSAD D		ND	0.0229/0.0692	N/A
ETOXAZOLE	0.1 µg/g	ND	0.0071/0.0214	PASS	SPIROMESIFEN	0.1 µg/g	ND	0.0120/0.0363	PASS
FENHEXAMID	0.1 µg/g	ND	0.0208/0.0630	PASS	SPIROTETRAMAT	0.1 µg/g	ND	0.0075/0.0226	PASS
FENOXYCARB	Any amt	ND	0.0095/0.0288	PASS	SPIROXAMINE	Any amt	ND	0.0062/0.0188	PASS
FENPYROXIMATE	0.1 µg/g	ND	0.0107/0.0325	PASS	TEBUCONAZOLE	0.1 µg/g	ND	0.0127/0.0385	PASS
FIPRONIL	Any amt	ND	0.0109/0.0330	PASS	THIACLOPRID	Any amt	ND	0.0084/0.0255	PASS
FLONICAMID	0.1 µg/g	ND	0.0089/0.0269	PASS	THIAMETHOXAM	5 µg/g	ND	0.0101/0.0305	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.0287/0.0869	PASS	TRIFLOXYSTROBIN	0.1 µg/g	ND	0.0198/0.0600	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.0073/0.0222	PASS					



VA/SOP-1000.01: MICROBIAL TESTING WITH PATHOGENDX // JAN 28, 2023

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL	ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS	ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS	SALMONELLA SPP.	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS	SHIGA TOXIN-PRODUCING E. COLI	Any amt in 1 gram	ND	PASS

VA/SOP-600.02: MYCOTOXINS TESTING WITH LC-MS // JAN 29, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	1.5000/4.5546	N/A	AFLATOXIN G2		ND	1.9091/5.7546	N/A
AFLATOXIN B2		ND	1.9364/5.8364	N/A	AFLATOXINS	20 µg/kg	ND		PASS
AFLATOXIN G1		ND	2.5636/7.7727	N/A	OCHRATOXIN A	20 µg/kg	ND	5.4818/16.6091	PASS

VA/SOP-700.01: HEAVY METALS TESTING WITH ICP-MS // JAN 30, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	ND	0.44286/1.34643	PASS	LEAD	0.5 µg/g	ND	0.28214/0.85000	PASS
CADMIUM	0.2 µg/g	ND	0.15357/0.46429	PASS	MERCURY	0.1 µg/g	ND	0.19286/0.57857	PASS

VA/SOP-190.01: FOREIGN MATERIAL INSPECTION WITH MICROSCOPE // JAN 28, 2023

ANALYTE	LIMIT	AMT (%)	PASS/FAIL	ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS	MOLD	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS	SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

VA/SOP-800.01: RESIDUAL SOLVENTS TESTING WITH GC-MS // JAN 29, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.1200/0.3440	PASS	HEXANE	290 µg/g	ND	7.3600/26.8440	PASS
ACETONE	5000 µg/g	ND	8.5600/26.8440	PASS	ISOPROPYL ALCOHOL	5000 µg/g	ND	7.8000/26.8440	PASS
ACETONITRILE	410 µg/g	ND	7.6000/26.8440	PASS	METHANOL	3000 µg/g	ND	5.8800/21.4748	PASS
BENZENE	1 µg/g	ND	0.1200/0.3440	PASS	METHYLENE CHLORIDE	1 µg/g	ND	0.1600/0.5368	PASS
BUTANE	5000 µg/g	ND	8.2000/26.8440	PASS	PENTANE	5000 µg/g	ND	10.1600/33.5544	PASS
CHLOROFORM	1 µg/g	ND	0.1200/0.4292	PASS	PROPANE	5000 µg/g	ND	10.2800/33.5544	PASS
ETHANOL	5000 µg/g	ND	7.8800/26.8440	PASS	TOLUENE	890 µg/g	ND	6.1200/21.4748	PASS
ETHYL ACETATE	5000 µg/g	ND	6.0000/21.4748	PASS	TRICHLOROETHYLENE	1 µg/g	ND	0.1200/0.3440	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.1600/0.5368	PASS	O-XYLENE		ND	3.0800/10.7200	N/A
ETHYL ETHER	5000 µg/g	ND	8.4400/26.8440	PASS	P- AND M-XYLENE		ND	3.2000/10.7200	N/A
HEPTANE	5000 µg/g	ND	7.0800/21.4748	PASS	TOTAL XYLENES	2170 µg/g	ND		PASS

